

AGO COMUNE DI SAN GIOVANNI IN PERSICETO (BO)  
 Cod. SGIOVPTO

Anno 2008 Trib. di... Classe 10. Fascicolo 01...

21581

18 MAG 2008

UOR

CC

RPA

ECON

 MUSEO DEL CIELO E DELLA TERRA  
 V.lo Baciadonne n. 1  
 SAN GIOVANNI IN PERSICETO (BO)

Table 1

ENSTATITE CHONDRITES

Name	State / Country	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat.	Price
Abee	Canada	1952 Jun. 10	E4 brecciated	1	2.0	S	1	60
Eagle	Nebraska (USA)	found 1947 (reported 1984)	EL6	1	0.2	S	2	20
Happy Canyon	Texas (USA)	found 1971	E6	1	3.0	S	3	90
Indarch	Azerbaijan	1891 Apr. 7	E4	1	0.2	S	4	30
NWA 2828	Algeria	found 2005	EL 3	2	189	S	5	200
Sahara 97079	Afrika	found 1997	EH3	1	6.7	S	6	30
Sahara 97158	Afrika	found 1997	EH3	1	3.85	S	7	40

ORDINARY CHONDRITES (H)

Name	State / Country	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Note	N° Cat.	Price
Abbott	New Mexico (USA)	found 1951	H5	1	11.0	S	8	30
Acfer Acf 89011	Algeria	found 1989	H5	1	22.3	FF	9	44
Acfer Acf 0018	Algeria	found 1989	H5	1	7.3	I	10	15
Adams County	Colorado (USA)	found 1928	H5	1	3.1	S	11	6
Ad-Dahbubah	Saudi Arabia	found 1961	H5	1	0.5	ES	12	2
Agen	France	1814 Sep. 5	H5 Xenolithic	1	0.2	F	13	40
Akwanga	Nigeria	1959 Jul. 2	H3-4	1	0.9	S	14	3
Alamogordo	New Mexico (USA)	found 1938	H5	2	8.8	S.S	15	20
Allegan	Michigan (USA)	1899 Jul. 10	H5	1	20.9	F	16	50
Arroyo Aguiar	Argentina	Fell 1950	H5	1	12.6	S	17	40
Assisi	Italy	1886 May 24	H5	1	0.4	F	18	160
Bassikounou	Mauritania	found 2006 Dec.	H5	1	48.0	S	713	70
Bath	S.Dakota (USA)	1892 Aug. 28	H4	1	0.8	F	19	5
Big Rock Donga	Australia	found 1970	H5	1	25.5	S	20	50
Boolka	S.Australia	found 1968	H5	1	48.0	ES	21	75
Bur-Gheluai	Somalia	1919 Oct. 16	H5 Xenolithic	2	19.3	S.F	22	50
Burnabbie	N.Australia	found 1965	H5	1	3.0	I	23	6
Cali	Colombia	2007 Jul. 7	H/L4	1	0.3	F		45
Cangas De Onis	Spain	1866 Dec. 6	H5	1	1.0	S	24	20
Canon City	Colorado (USA)	1973 Oct.27	H5	Smal	0.1	F	25	40
Carancas	Peru	2007 Sep.15	H4/5	4	1.5	F		200
Capot Rey	Niger	found 2004	H5	1	11.4	I	26	15
Carichic	Chihuahua (Mexico)	found 1983	H5	1	34.0	S	27	50
Casilda	Argentina	found 1937	H5	1	1.9	S	28	30
Chela	Tanzania	1988 Jul.12	H5	1	0.72	S	29	20
Chiang Khan	Thailand	1981 Nov. 17	H6	2	14.3	ES.F	30	40
Chico Hills	New Mexico (USA)	found 1951	H4	1	1.7	S	31	15
Cole Creek	Nebraska (USA)	found 1991	H5	1	29.5	S	32	50
Collescipoli	Italy	1890 Feb. 3	H5	1	2.9	ES	33	400
Cook 004	S.Australia	found 1989	H4	2	39.8	S.I	34	70
Coonana	S.Australia	found 1962	H4	1	9.5	S	35	30
Correo	New Mexico (USA)	found 1979	H4	1	9.0	ES	36	49
Dar al Gani 120	Libya	found 1996	H5	2		I	756	20
Dar al Gani 316	Libya	found 1997	H5	1	14.2	ES	718	20
Dar al Gani 419	Libya	found 1996	H4	2	230	I.F	37	250
Dar al Gani 469	Libya	found 1996	H5	1	200	I	724	250
Dar al Gani 547	Libya	found 1997	H6	1	24.0	I	38	30
Dar al Gani 484	Libya	found 1997	H6	1	9.7	I	39	15
Dar al Gani 491	Libya	found 1997	H4	1	13.4	I	40	15
Dar al Gani 500	Libya	found 1997	H4/5	1	10.1	I	41	15
Dar al Gani 515	Libya	found 1997	H5	1	9.5	I	42	15

Name	State / Country	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Note s	N° Cat.	Price
Dar al Gani 544	Libya	found 1997	H5	1	60.8	I	43	45
Dar al Gani 550	Libya	found 1997	H5	1	30.5	I	44	30
Dar al Gani 504	Libya	found 1997	H4	1	415.	I	45	41
Dar al Gani 612	Libya	found 1997	H5	1	16.4	F	46	16
Dar al Gani 615	Libya	found 1998	H6	1	25.5	F	47	25
Dar al Gani 617	Libya	found 1997	H6	1	0.9	I	48	10
Dar al Gani 650	Libya	found 1997	H5	1	124.	I	49	130
Dar al Gani 651	Libya	found 1997	H6	1	5	I	50	10
Dar al Gani 653	Libya	found 1999	H5	many	30.5	F	51	30
Dar al Gani 654	Libya	found 1999	H4	2	83.6	I	52	80
Dar al Gani 658	Libya	found 1999	H5/6	1	2100	I	53	2000
Dar al Gani 662	Libya	found 1999	H6	1	2478	I	54	2500
Dar al Gani 689	Libya	found 1999	H4/5 brecciated	1	35	F	55	35
Dar al Gani 685	Libya	found 1999	H4/6 brecciated	1	352	I	56	350
Dar al Gani 705	Libya	found 1999	H4/5	1	43.8	IF	57	50
Dar al Gani 883	Libya	found 2000	H5/6 brecciated	1	380	F	58	380
Dar al Gani 880	Libya	found 2000	H6 IMB	1	1120	S	59	1100
Dar al Gani 889	Libya	found 2000	H6 brecciated	1	82.8	F	60	85
Dar al Gani 892	Libya	found 2000	H6	1	9.6	I	61	10
Dar al Gani 895	Libya	found 2000	H4	1	43.0	I	62	50
Dar al Gani 930	Libya	found 2000	H5	1	40.1	I	63	40
Dar al Gani 936	Libya	found 2000	H4/5	1	237	I	64	240
Dar al Gani 997	Libya	Found 1999	H6	1	300	F	631	300
Davy A	Texas (USA)	found 1940	H4	1	56.0	I	65	55
Dawn (A)	Texas (USA)	found 1981	H6	1	52.0	S	66	52
Dhofar 110	Oman	found 2000	H6	1	20.0	S	67	20
Deakin 005	W.Australia	found 1989	H5	1	10.8	I	68	20
Dimmitt	Texas (USA)	about 1942	H4 brecciated	1	12.5	I	69	30
Djerj	Libya	found 1987	H5	1	8.0	F	70	15
Djoumine	Tunisia	1999 Oct 31	H5/6	1	3.1	F	71	50
El Faiym	Egypt	found 1993	H5	1	45	I	748	100
El Mahbes	Algeria	found ?	H4	1	23.7	S	643	30
Estacado	Texas (USA)	found 1883	H6	1	1.2	S	72	10
Etter	Texas (USA)	found 1965	H6	1	9.7	S	649	20
Faith	S.Dakota (USA)	found 1952	H5	1	4.7	S	73	15
Faucett	Missouri (USA)	found 1966	H5	1	31.5	S	74	60
Fermo	Italy	1996 Sep. 25	H3-5	1	13.2	F	75	1500
Flandrau	S.Dakota (USA)	found 1983	H5	1	13.7	S	76	30
Forest City	Iowa (USA)	1890 May 2	H5	1	1.2	F	77	20
Forntiers Mountains 90224	Antarctica	Found 1990	H6	1	8.4	F	753	100
Gaines	Texas (USA)	found 1977	H5	1	5.8	S	78	20
Gao (Upper Volta)	Burkina Fasu	1960 Mar. 5	H5	2	49.8	S.I	79	100
Gascoyne Junction	W.Australia	found 1975	H5	1	31.7	ES	80	60
Gilgoin	W.Australia	found 1889	H5	2	2.7	F.F	81	10
Gladstone (stone)	New Mexico (USA)	found 1936	H6 veined	1	25.0	S	82	50
Gobabeb	Namibia (Afrika)	found 1969	H4	1	4.4	S	83	15
Gourara	Algeria	found 2002	H6	1	73	I	84	100
Grady (1937)	New Mexico (USA)	found 1937	H3	1	2.5	F	85	10
Great Bend	Kansas (USA)	found 1983	H6	1	14.0	S	86	30
Great Sand Sea 007	Egypt	found 1996	H6	5	3.7	I	87	20
Great Sand Sea 022	Egypt	found 1996	H6	1	0.9	F	735	50
Great Sand Sea 023	Egypt	found 1996	H5	1	1.5	F	736	50
Great Sand Sea 024	Egypt	found 1996	H5	1	7.8	I	737	100
Gruver	Texas (USA)	found 1934	H4	1	3.8	S	88	10
Guenie	Upper Volta	1960 Apr.	H4	1	16.5	S	89	30
Gursum	Ethiopia	1981 Feb.10	H4	1	3.3	EF	90	50
Hamada du Draa	Algeria	1995 Jan. 19	H5	1	23.5	F	91	40
Hamada al Hamra 295	Libya	found 2000	H5	1	419.8	I	726	500

Name	State / Country	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Note	N° Cat.	Price
Hamada al Hamra 296	Libya	found 2000	H6	4	215	F	92	250
Hamada al Hamra 297	Libya	found 2000	H5	1	420	I	93	500
Hamdat Murzuq 002	Libya	found 1999	H4	1	517.5	I	94	600
Happy (a)	Texas (USA)	found 1971	H3-4	1	13.0	S	95	30
Hssayampa	Arizona (USA)	found 1963	H4	1	29.9	S	637	60
Havilland (b)	Kansas (USA)	found 1976	H5	1	18.0	S	96	40
Haxton	Colorado (USA)	found 1975	H/L5	1	0.4	S	96	10
Hessle	Sweden	1869 Jan. 1	H5	1	3.14	F	98	20
Horace	Kansas (USA)	found 1940	H5	1	14.5	S	99	30
Hughes 003	S.Australia	found 1991	H5	1	127.8	S	100	150
Jilin	China	1976 Apr. 8	H5	1	7.7	F	101	50
Juancheng	China	1997 Feb. 15	H5	2	23.3	LI	102	60
Juanita De Angeles	Mexico	found 1993	H5	1	21.0	S	103	50
Kabo	Nigeria	1971 Apr. 25	H4 xenolithic	1	9.4	S	104	20
Kalvesta	Kansas (USA)	found 1968	H4	1	7.8	S	105	15
Kajgorod Vjatka	Russia	found 1993	H5	1	190	S	636	250
Kendrapara (Orissa)	India	2003 Sep. 27	H4/5	1	1	S	106	30
Kesen	Japan	found 1850	H4	1	0.7	S	107	10
Kimble County	Texas (USA)	found 1918	H6	1	29.3	F	108	60
Korra Korrabes	Namibia	found 1996	H3	1	43.2	F	109	90
Laundry East	W.Australia	found 1967	H3	1	3.5	S	110	15
Lago Valscura	Italy	found 1995	H5	1	1.5	S	111	200
Malotas	Argentina	1931 Jun. 22	H5	1	6.1	S	752	15
Markovka	Russia	found 1967	H4	1	0.8	F	112	30
Mareson de Zoldo	Italy	found 2000	H5	1	0.9	S	113	100
Melvern Lake	Kansas (USA)	found 1980	H5	1	8.9	S	114	20
Mills	New Mexico(USA)	found 1970	H6	1	34.0	I	115	70
Moravka	Czech Republic	2000 May 6	H5	1	0.8	S	116	100
Mount Baldr	Antarctica	found 1976	H6	1	0.9	S	117	50
Mulga North	W.Australia	found 1964	H6	1	40.1	I	118	80
Mulga South	W.Australia	found 1963	H4	1	3.5	S	119	20
Nadiabondi	Burkina Fasu	1956 Jul.27	H5	2	13.2	LI	120	30
New Orleans	Louisiana ( USA)	2004 Sept 23	H5	f	0.2	F	121	40
North Branch	Kansas (USA)	found 1972	H5	1	69.6	S	122	120
Noventa Vicentina	Italy	1971 May 12	H4	1	22.0	ES	123	1000
Nuevo Mercurio	Mexico	1978 Feb. 15	H5	2	6.6	LI	124	50
Nullarbor 009	S.Australia	found 1991	H5	1	5.4	S	125	20
NWA 267	Morocco	found 2000	H6	1	4.0	F	126	10
NWA 4229	Morocco	Found 2006	H7	1	0.94	F	771	5
NWA 4293	NWAfrica	found 2005	H6	1	12.8	I	127	15
NWA 4696	NWAfrica	found 2003	H6	1	77	F	128	80
Oakley (stone)	Kansas (USA)	found 1895	H6	1	1.6	S	129	10
Ochansk	Russia	1887 Aug. 20	H4	1	1.6	S	130	10
Orique	Portugal	1998 Dec. 28	H4	1	22.56	F	647	100
Orlovka	Russia	found 1928	H5	1	1.0	F	131	20
Oum Rokba	Marocco	found 2000	H5	1	53.5	LI	132	55
Oum Dreyga	W.Sahara	2003 Oct. 16	H 3-5	2	205.1	FF	133	350
Ovid	Colorado (USA)	found 1939	H6	1	3.6	S	134	20
Oxford	Nebraska (USA)	found 1985	H5-6	1	12.3	S	135	30
Peekskill	New York (USA)	1997 Oct. 19	H6	1	3.8	FS	666	200
Polujanki	Altai Russia	found 1971	H4	1	1.9	S	137	30
Portales Valley	New Mexico (USA)	1998 Jun. 13	H4	1	4.6	S	138	200
Plainview	Texas (USA)	found 1917	H5 brecciated	1	20.0	S	139	50
Pultusk	Poland	1868 Jan. 30	H5	1	20.0	I	140	120
Reggane 003	Algeria	found 1989	H5	1	20.5	S	141	30
Richardton	North Dakota (USA)	1918 Jun. 30	H5	1	0.14	F	720	20
Roosevelt County	New Mexico (USA)	found 1980	H5	1	13.5	ES	142	30
Sahara 97014	Afrika	found 1997	H5	1	14.0	S	143	25

Name	State / Country	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Note s	N° Cat.	Price
Sahara 97176	Afrika	found 1997	H5	1	40.6	S	144	50
Sahara 99369	Afrika	found 1999	H	1	12.4	S	145	15
Sahara 99748	Afrika	found 1999	H	1	10.3	S	146	15
Salaices	Mexico	found 1971	H4	2	10.7	ES.S	147	20
San Carlos	Argentina	Before 1942	H4	1	1.2	ES	148	15
Seagraves	Texas (USA)	found 1961	H4	1	15.0	S	149	30
Selma	Alabama (USA)	found 1906	H4	1	4.8	S	150	10
Seminole (d)	Texas (USA)	found 1976	H6	1	11.7	S	151	30
Shafter Lake	Texas (USA)	found 1933	H5	1	20.5	S	152	40
Stelldalen	Sweden	1876 Jun. 28	H5	1	0.1	F	719	10
Tanezroufht 072	Algeria	Found 2002	H6	4	6020	I	758	5000
Tessera	Italy	found 2000	H5	1	4.2	I	153	500
Texline	Texas (USA)	found 1937	H5	1	8.6	S	154	20
Torino	Italy	1988 May 18	H6	1	1.1	F	155	200
Thuete	Lesotho	2002 Jul.7	H4/5	1	6.4	I	156	30
Travis County (a)	Texas (USA)	found 1889	H5	1	53.2	ES	157	100
Travis County (b)	Texas (USA)	found 1889-1937	H4	1	1.63	S	158	25
Trenzano	Italy	1856 Nov.12	H6 veined	1	13.3	S	159	1500
Tulia (a)	Texas (USA)	found 1917	H3-4	1	32.0	S	160	40
Turkmenbasi (K. U.)	Turkmenistan	1998 Jun. 20	H4-5	1	32.3	S	161	100
Vengerovo	Russia	1950 Oct.11	H5	1	1.68	S	162	30
Villediu	France	found 1890	H4	1	7.8	S	163	250
Yarle Lake	W. Australia	found 1988	H5	1	3.0	S	164	15
W.Forrest	W.Australia	found 1971	H5	2	11.3	ES.S	165	30
Waka	Texas (USA)	Before 1963	H5	1	11.8	S	166	30
Warden	W.Australia	found 1989	H5	1	8.3	S	167	40
Wellman ©	Texas (USA)	found 1964	H4	1	28.5	S	168	60
Witchelina	S.Australia	found 1920	H4	1	5.5	S	169	30
Wiluna	Australia	1967 sept 2	H5	1	2.4	F	170	30
Zag	Morocco	1998 Aug. 4	H3/5	1	22.3	ES	171	50
Zegdou	Algeria	found 1998	H3	1	3.7	S	172	25
Zhovtnevyi	Ukraina	1938 Oct. 10	H5	1	1.0	F	173	10

**ORDINARY CHONDRITES (L)**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Abu Moiharek	Egitto	Found 1996	L3	1	39	S	174	90
Acfer Acf 89015	Algeria	Found 1989	L6	1	9.9	ES	175	30
Acfer 347	Algeria	Found 2002	L3	1	1110	I	176	1200
Air	Niger	Fell 1925	L6	1	0.87	S	177	40
Albareto	Italy	1766 Jul. 6	L4	2	7.6	S S	178	2500
Alfianello	Italy	1883 Feb. 16	L6	1	5.3	S	179	1500
ALH 76009	Antarctica	found 1976	L6	1	0.95	S	180	100
Arriba	Colorado (USA)	found 1936	L5	1	10.1	S	181	20
Baratta	N.Australia	found 1845	L4 black	1	9.7	S	182	20
Barwell	England	1965 Dec. 24	L6	1	0.65	S	183	50
Baskowka	Poland	1994 Aug. 25	L5	1	0.01	F	668	30
Beaver	Oklahoma (USA)	found 1940/1981	L5	1	18.8	S	184	60
Bechar 001	Algeria	found 1998	L5	1	4	ES	185	25
Belle Plaine	Kansas (USA)	found 1950	L6	1	5.7	S	667	20
Berdyansk	Ukraine	found 1843	L6	1	32.9	S	630	150
Billygoat Donga	W.Australia	found 1962	L6	1	3.8	ES	186	25
Bjurböle	Finland	1899 Mar. 12	L4 friable	1	30.4	F	187	200
Bluff	Texas (USA)	found 1878	L5	1	0.8	S	188	20
Bovedy	N.Ireland	1969 Apr. 25	L4	1	16.1	S	189	200
Brandon	Nebraska (USA)	found 1975	L6-7	1	10.0	S	190	30
Bruderheim	Canada	1960 Apr. 4	L6	1	7.6	S	191	20
Camel Donga 002	W.Australia	found 1989	L6	1	5.9	I	192	20
Campo Sales	Brazil	1931 Jan. 31	L5	1	8.92	S	638	150
Castenaso	Italy	found 2003	L5	1	70	I	193	200

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Claxton	Georgia (USA)	1984 Dec. 10	L6	2	9.4	S.S	194	200
Dar al Gani 307	Libya	found 1997	L6	1	30.0	S	195	30
Dar al Gani 323	Libya	found 1997	L4	1	16.0	S	196	20
Dar al Gani 335	Libya	found 1997	L6	1	26.4	S	197	30
Dar al Gani 355	Libya	found 1997	L6	1	36.0	S	717	40
Dar al Gani 372	Libya	found 1997	L6	1	47.9	F	198	50
Dar al Gani 379	Libya	found 1997	L6	1	29.6	S	199	30
Dar al Gani 426	Libya	found 1998	L6	1	46.8	F	200	50
Dar al Gani 439	Libya	found 1998	L6	1	36.0	F	201	40
Dar al Gani 446	Libya	found 1998	L5/6	1	34.9	S	202	40
Dar al Gani 448	Libya	found 1998	L4/5	1	209	ES	203	210
Dar al Gani 455	Libya	found 1998	L6	1	150	ES	204	150
Dar al Gani 458	Libya	found 1998	L6	1	44.3	F	205	50
Dar al Gani 462	Libya	found 1998	L6	1	28.9	F	206	30
Dar al Gani 463	Libya	found 1998	L6	1	38.6	ES	721	40
Dar al Gani 464	Libya	found 1998	L6	1	43.0	S	207	50
Dar al Gani 465	Libya	found 1998	L6	1	38.2	ES	208	40
Dar al Gani 466	Libya	found 1998	L6	1	16.0	S	209	20
Dar al Gani 467	Libya	found 1998	L6	1	17.0	S	210	20
Dar al Gani 470	Libya	found 1998	L6	1	13.6	S	211	20
Dar al Gani 4 77	Libya	found 1998	L6	1	180.0	S	212	180
Dar al Gani 549	Libya	found 1997	L6	1	48.6	S	213	50
Dar al Gani 501	Libya	found 1997	L5	1	21.0	I	214	25
Dar al Gani 502	Libya	found 1997	L5	1	29.3	I	215	30
Dar al Gani 487	Libya	found 1997	L6	3	4.5	I	216	5
Dar al Gani 488	Libya	found 1997	L6	1	12.8	L.I.I	217	15
Dar al Gani 537	Libya	found 1997	L6	1	33.2	I	218	35
Dar al Gani 551	Libya	found 1997	L6	1	8.2	I	219	10
Dar al Gani 542	Libya	found 1997	L6	1	5.4	I	220	10
Dar al Gani 555	Libya	found 1997	L6	1	8.1	I	221	10
Dar al Gani 611	Libya	found 1998	L6	4	408.4	F.F	728	410
Dar al Gani 614	Libya	found 1997	L6	1	5.1	I	723	10
Dar al Gani 621	Libya	found 1997	L6	1	5.1	F	222	10
Dar al Gani 623	Libya	found 1997	L4	1	134.6	F	223	135
Dar al Gani 650	Libya	found 1999	L6	1	8.0	I	224	10
Dar al Gani 652	Libya	found 1999	L6	1	744	F	225	750
Dar al Gani 655	Libya	found 1999	L6	1	43.8	I	226	45
Dar al Gani 656	Libya	found 1999	L6	1	578	F	227	580
Dar al Gani 657	Libya	found 1999	L6	1	386	I	228	390
Dar al Gani 659	Libya	found 1999	L6	1	640	I	229	640
Dar al Gani 663	Libya	found 1999	L6	1	530	I	753	550
Dar al Gani 677	Libya	found 1999	L6	1	168	I	230	170
Dar al Gani 699	Libya	found 1999	L6	many	210	I	231	210
Dar al Gani 701	Libya	found 1999	L6	1	230	F	232	230
Dar al Gani 877	Libya	found 2000	L6	1	211.3	I	233	220
Dar al Gani 882	Libya	found 2000	L6	1	96.4	I	234	100
Dar al Gani 939	Libya	found 2000	L6	1	358	I	235	360
			L6			I	236	
Dalgety Downs	W.Australia	found 1941	L4	1	6.6	S	237	20
De Nova	Colorado (USA)	found 1940	L6 veined	1	8.7	S	238	25
Densmore	Kansas (USA)	found 1879	L6	1	14.0	S	239	30
Dhofar 032	Oman	Found 1999	L6	1		S	642	
El Baharija	Egypt	found 1993	L5	1	23.3	F	240	45
El Barheim	Egypt	found 1983	L6	2	16	F.F	734	30
El Tigre	Mexico	1993 Dec. 23	L6	1	10.0	S	241	20
Elenovka	Ukraine	1951 Oct. 17	L5	1	1.0	F	242	40
Etter	Texas (USA)	found 1966	L5	1	9.7	S	649	20
Finney	Texas(USA)	found 1962	L5	1	5.0	S	244	20
Farmington	Kansas (USA)	1890 Oct. 25	L5 brecciated	1	10.4	S	245	30
Flagg	Texas (USA)	found 1950	L5	1	2.0	F	246	20

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Forrest (b)	W.Australia	found 1980	L6	1	13.0	S	247	30
Frontiers Mountains 93005	Antarctica	Found 1993	L5	1	0.08	F	754	70
Fusina	Italy	2000 Sept. 01	L6	1	1.3	F	634	150
Ghubara	Oman	found 1954	L5	1	6.8	S	248	30
Girgenti	Italy	1853 Feb. 10	L5	1	1.1	S	249	200
Gold Basin	Mohave County (USA)	found 1995	L4	1	24	F	757	50
Great Sand Sea 007	Egypt	found 1996 Dec.	L5	2	41	F.F	740	50
Great Sand Sea 012	Egypt	found 1996	L6	1	4.5	I	250	20
Great Sand Sea 025	Egypt	found 2005	L5	1	10.9	I	738	70
Gretna	Kansas (USA)	found 1912	L5	1	6.0	S	251	20
Hamada al Hamra 231	Libya	found 1997	L6	1	38.2	S	252	70
Hamada al Hamra 232	Libya	found 1997	L6	1	2.1	F	253	15
Hamada al Hamra 240	Libya	found 1997	L4	1	18.6	S	254	30
Hamada al Hamra 293	Libya	found 2000	L6	1	382.0	I	255	380
Holbrook	Arizona (USA)	1912 Jun. 19	L/LL6	1	25.3	I	256	70
Homestead	Iowa (USA)	1875 Feb. 12	L5 brecciated	1	6.0	S	257	20
Hughes 024	S.Australia	found 1991	L5	1	25.6	S	258	50
Kaffir (C)	Texas (USA)	found 1980	L6	1	24.5	I	259	60
Kyushu	Japan	fell 1886	L6	1	0.5	F	260	15
Ikahrarene	Algeria	found 1969	L4	1	3.5	S	261	20
Ingella Station	Australia	found 1987	L6	2	51.0	I.S	262	70
Isoulene-N-Amahar	Algeria	1945 May 13	L6	1	5.5	S	263	30
Jiddat al Harasis 055	Oman	2002 Feb	L4	1	3.2	S	264	15
Jiddat al Harasis 073	Oman	found 2002	L6	many	600	I	265	200
Julesburg	Colorado (USA)	found 1963	L3	1	9.5	S	266	30
Kagarlyk	Ukraine	1908 Jun. 30	L6	1	1.5	F	267	100
Kaufman	Texas (USA)	found 1893	L5	1	2.3	S	644	30
Kybunga	S.Australia	found 1956	L5	1	3.0	ES	269	30
La Criolla	Argentina	1985 Jan. 6	L6	2	30.0	ES	270	70
Ladder Creek	Kansas (USA)	found 1937	L6	1	6.2	S	271	25
Lake Torrens	S.Australia	found 1989	L6	1	3.1	S	272	20
L'Aigle	France	1803 Apr. 26	L6 brecc.	1	0.5	F	273	150
Laundry West	W.Australia	found 1967	L4	1	10.7	S	274	20
Leedey	Oklahoma (USA)	1943 Nov.11	L5	1	16.3	S	275	50
Lido di Venezia	Italy	found 1999	L4/5	1	1.4	S	276	200
Long Island	Kansas (USA)	found 1891	L5 veined	1	20.7	S	277	50
Macy	New Mexico (USA)	found 1984	L6	1	11.1	ES	278	25
Mauerkirchen	Austria	1768 Nov.20	L6	1	1.31	S	746	300
Marlow	Oklahoma (USA)	found 1936	L5	1	17.5	S	279	40
Mbale	Uganda	1992 Aug. 14	L5	1	12.0	I	280	40
McKinney	Texas (USA)	found 1870	L4	1	1.0	S	281	10
Menindee Lakes 003	S.Australia	found 1969/1975	L6	1	1.2	F	282	10
Messina	Italy	1955 July 16	L5	1	1.6	S	283	400
Mocs	Romania	1882 Feb. 3	L6 veined	1	9.8	S	284	40
Modoc(1905)	Kansas (USA)	1905 Sep. 2	L6 veined	1	5.7	S	285	25
Monte Milone	Italy	1846 May 8	L5	1	0.7	F	286	200
Monze	Zambia	1950 Oct 5	L6	1	14	S	287	30
Mount Tazerzait	Niger	1991 Aug. 21	L5 anomalous	1	33.2	S	288	50
Mulberry Draw	Texas (USA)	found 1963	L5	1	15.2	S	289	40
Nerft	Lettonia	1864 Apr. 12	L6 veined	1	9.0	S	290	40
Ness County (1894)	Kansas (USA)	found 1894	L6	1	9.0	S	291	30
New Concord	Ohio (USA)	1860 May 1	L6	1	3.2	S	292	20

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Norcateur	Kansas (USA)	found 1940/1948	L6 veined brec.	1	19.5	S	293	40
Noyan Bogdo	Mongolia	fell Sept 1933	L6	1	7.7	S	294	20
Nullarbor 008	S.Australia	found 1991	L6	1	17.7	S	295	40
NWA	NWAfrika	found 2002	L7	1	40800	I	747	20000
NWA 515	Morocco	found 2001	L6	1	1.2	F	296	10
NWA 788	Morocco	found 2000	L6 breccia	1	21	I	297	30
NWA 869	Morocco	found 2001	L4	2	565	II	298	500
NWA 2740	W.Sahara	Found unknow	L5	1	6.3	S	641	30
NWA 4697	NWAfrika	found 2003	L5	1	70	I	299	70
NWA 4698	NWAfrika	found 2003	L6	1	64	I	300	70
Oak	W.Australia	found 1968	L5	1	3.3	S	301	20
Oliver	Nebraska (USA)	found 1984	L6	1	11.5	S	302	25
Ohuma	Nigeria	1963 Apr. 11	L5	1	7.4	S	303	20
Owasco	Nebraska (USA)	found 1984	L6	1	16.3	S	304	50
Pampa (a)	Chile	found 1986	L6	1	10	I	305	20
Pampa (c)	Chile	found 1986	L4	1	7.4	ES	306	20
Park	Kansas (USA)	found 1969	L6	1	5.5	S	307	15
Park Forest	Illinois ( USA)	2003 Mar.26	L5	1	10.4	I	308	20
Pavlograd	Ukraine	1826 May 19	L6	1	1.2	F	309	20
Peace River	Canada	1963 Mar. 31	L6	1	4.4	F	310	40
Plateau Tademait 02	Algeria	Found 2002	L6	1	2272	I	311	2000
Plateau Tademait 03	Algeria	Found 2002	L5	2	146	F.F	312	150
Plateau Tademait 04	Algeria	Found 2002	L6	2	125	F.F	313	130
Potter	Nebraska (USA)	found 1941	L6 brecciated	1	10.0	S	314	20
Renfrow	Oklahoma (USA)	found 1975	L5-6	1	14.1	S	315	30
Salla	Finland	found 1963	L6	1	6.5	S	316	15
Saratov	Russia	1918 Sep. 6	L4	1	1.9	F	316	20
Sarir Qattusah 003	Libia	Found 1997	L6	1	0,02	F	639	5
Semore Downs near Hughes)	S.Australia	found 1990	L6	1	7.8	ES	318	20
Sahara 97001	Afrika	found 1997	L6	1	44.0	S	319	50
Sahara 98238	Afrika	found 1998	L	2	147.5	F.F	727	150
Sayh al Uhaymi001	Oman	found 2000	L4/5	2	4.6	F.F	320	20
Shaw	Colorado (USA)	found 1937	L6	1	2.6	S	321	10
Shelburne	Canada	1904 Aug. 13	L5	1	0.3	F	322	10
Sinawan 001	Libya	found 1991	L5	1	13.4	S	323	30
Siwa	Egypt	found 1994	L5/L6	2	29.3	II	324	300
Spade	Texas (USA)	Fpund 2000	IMB	1	1.25	S	645	60
Sleeper Camp	W.Australia	found 1962	L6	1	11.5	S	325	40
St.Michel	Finland	1910 Jun. 12	L6	1	6.3	F	326	60
Suizhou	China	fell 1986	L6	1	17.0	ES	327	40
Taiban	New Mexico (USA)	found 1934	L5 black veined	1	17.3	S	328	30
Taouz	Morocco	found 1992	L6	1	10.8	S	329	30
Tenham	Queensland (Aus)	found 1879	L6	1	11.0	S	330	35
Tennasilm	Estonia	1872 Jun. 28	L4 veined	1	10.7	S	331	50
Tifariti	W. Sahara	found 2002	L6	1	5.4	I	332	50
Tsarev	Russia	found 1968	L5	1	13.3	F	333	30
Tulia (b)	Texas (USA)	found 1917	L6	1	1.6	S	334	10
Umbarger	Texas (USA)	found 1954	L3-6	1	24.3	S	335	50
Valera	Venezuela	1972 Oct. 15	L5	1	8.4	S	336	40
Valdinizza	Italy	1903 Jul 12	L6	1	2.3	S	337	500
Vouille	France	1831 May 13	L6 veined	1	7.0	F	338	50
Waconda	Kansas (USA)	found 1873	L6	1	2.3	F	339	20
Wadi Mellene	Sahara ( Afrika)	found 2001	L3.8	1	73	I	340	100
Webb	W.Australia	found 1968	L6	1	3.5	ES	341	30
Wold Cottage	U.K.	1795 Dec. 13	L6	1	0.3	S	342	100
Woolgorong	W.Australia	1960 Dec. 20	L6	1	5.8	S	343	25
Worden	Michigan (USA)	1997 Sep.1	L5	1	14.0	S	344	30
Wray (B)	Colorado (USA)	found 1935	L5	1	3.1	S	345	20





**ORDINARY CHONDRITES (LL)**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Acfér 364	Algeria	Found 2002	LL6	1	650	I	347	650
Acfér 378	Algeria	Found 2003	LL6	1	1320	I	348	1320
Arcadia	Nebraska (USA)	found 1937	LL6	1	1.3	F	349	10
Beeler	Kansas (USA)	found 1924	LL6	1	0.7	S	350	10
Bengurir	Morocco	2004 Nov. 22	LL6	2	6.1	F.F	351	30
Bensour	Algeria/Marocco	2002 Feb.10	LL6	2	28.5	F.I	352	60
Benares (a)	India	1798 Dec. 19	LL6	1	0.2	F	353	50
Bison	Kansas (USA)	found 1938/1958	LL6	1	10.4	S	354	20
Chico	New Mexico (USA)	found 1954	LL6	1	10.3	S	355	20
Dar al Gani 613	Libya	Found 1998	LL4	1	35.2	S	356	35
Dar al Gani 672	Libya	Found 1999	LL5 brecciated	1	1600	I	357	1600
Dar al Gani 698	Libya	Found 2000	LL5	1	6300	I	358	4000
Dar al Gani 1043	Libya	Found 2005	LL5	1	32.2	I	359	32
Dar al Gani 1044	Libya	Found 2006	LL6	2	150	LI	360	150
Dhurmsala	India	1860 Jul. 14	LL6	1	4.6	S	361	30
Ensisheim	France	1492 nov. 16	LL6	1	1.6	S	362	200
Esperance	W.Australia	Found 1981	L/LL3	1	1.3	S	363	20
Forrest Lake	W.Australia	Before 1948	LL5	1	6.8	S	364	30
Great Sand Sea 006	Egypt	Found 1995	LL6	5	0.23	F.F	739	20
Great Sand Sea 019	Egypt	Found 1999	LL6	1	5.1	I	365	5
Hadejia	Nigeria	2002 Jul. 21	LL6	1	7.6	S	640	10
Hughes.001	S.Australia	Found 1930	LL6	1	2.6	ES	366	10
Jabal Akakus	Libya	Found 1997	LL6	1	208.0	I	367	200
Jelica	Serbia	1889 Dec. 1	LL6	1	1.0	S	368	10
Kelly	Colorado (USA)	Found 1937	LL4 brecciated	1	5.2	S	369	10
Kilbabo	Nigeria	2002 Jul.21	LL6	1	2.1	F	641	10
Krimka	Ukraine	1946 Jun.21	LL3	1	29.0	S	371	150
Lake Labyrinth	W.Australia	Found 1924	LL6	1	8.6	ES	372	10
Lazbuddie	Texas (USA)	Found 1970	LL5	1	8.5	S	373	10
Naryilco	Australia	Found 1990	LL6	1	4.6	F	374	20
Olivenza	Spain	1924 Jun. 19	LL5	1	5.0	S	375	30
Piancaldoli	Italy	1968 Aug. 10	LL3	1	0.1	F	376	150
Richfield	Kansas (USA)	Found 1983	LL3	1	8.3	S	377	15
Saint Severin	France	1966 Jun 27	LL6	1	3.2	S	378	40
Semore Downs	W.Australia	Found 1991	L/LL4	1	3.3	I	379	15
Siena	Italy	1794 Jun. 6	LL5	1	2.0	S	380	500
Sleeper Camp 004	W.Australia	Found 1991	LL4	1	4.5	S	381	10
Soko-Banja	Serbia	1877 Oct. 13	LL4	1	2.0	D	382	20
Touze 002	Morocco	found 1999	LL6	1	5.4	S	383	10
Tuxtucac	Mexico	1975 Oct. 16	LL5	2	28.6	S.F	384	50
Wells	Texas (USA)	found 1985	LL3	1	14.4	S	385	30
<b><u>CONDRITHES B</u></b>								
Gujba	Nigeria	1984 Apr. 3	Ben	1	1.7	S	386	100
Isheyevo	Russia	2000 oct.	Ben CB3 (b)	1	4,5	S		120
<b><u>CONDRITHES R</u></b>								
Ouzina	Morocco	found 1999	R4	1	0.2	S	387	40
NWA 753	Algeria	found 2000	R5	1	0.8	S	388	50
NWA 978	Morocco	found 2001	R 3.8	1	0.7	S	389	50
NWA 1906	Morocco	found 2001	R4	1	1.46	S	390	80

**CARBONACEOUS CHONDRITES**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	
Acer 374	Algeria	Found 2002	CO3	2	53	LF	391	100
Allende	Mexico	1962 Feb. 9	CV3	2	25.7	LS	392	60
Axtell	Texas (USA)	Found 1943	CV3	1	5.7	F	393	40
Dar al Gani 005	Libya	Found 1995	CO3	1	1.1	S	394	20
Dar al Gani 521	Libya	Found 1997	CV3	1	7.8	I	395	20
Dar al Gani 535	Libya	Found 1997	CV3	1	15.0	I	396	40
Dar al Gani 749	Libya	Found 1999	CO3	1	1.6	S	397	15
Isna	Egypt	Found 1970	CO3	2	6.2	LS	398	100
Kainsaz	Russia	1937 Sep. 13	CO3	1	1.5	S	399	70
Karoonda	S.Australia	1930 Nov. 25	CK4	1	0.4	F	400	40
Loongana 001	W.Australia	1991 Oct.	CK4	1	0.7	S	401	30
Maralinga	S.Australia	Found 1974	CK4	1	2.6	S	402	40
Moss	Norway	2006 Jul. 14	CO3	1	1.2	S	403	60
Murchinson	Australia	1969 Sep. 28	CM2	4	3.3	S.F	404	120
Murray	Kansas (USA)	1950 Sep. 20	CM2	1	5.3	F	405	250
NWA 801	Morocco	Found 2000	CR	2	1.1	LS	406	30
NWA 3118	Morocco	Found 2003	CV3	2	2.1	F.F	407	50
NWA 3144	Morocco	Found 2004	CV3	1	1.3	S	408	30
Orgueil	France	1864 May 14	CI	1	0.5	F	409	100
Renazzo	Italy	1824 Jan. 15	CR2	1	0.2	F	410	300
Sahara 98044	Afrika	found 1998	CV3	1	42.2	S	411	60
Sahara 99544	Afrika	found 1999	CO3	1	5.72	S	412	60
Tagish Lake	Canada	2000 Jan 18	CI2	1	0.058	F	413	50
Tafassasset	Niger	found 2000	CR?	1	0.8	F	414	30
Vigarano	Italy	1910 Dec. 22	CV3	3	2.7	F,F,S	415	400
Warrenton	Missouri (USA)	1877 Jan. 3	CO3	1	0.5	F	416	50

**ACHONDRITES**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Bilanga	Burkina Faso	1999 Oct. 27	Diogenite	1	0.64	S	653	60
Camel Donga	W.Australia	Found 1985	Eucrite	2	8.5	ES,I	417	120
Cachari	Argentina	Found 1916	Eucrite	1	0.5	F	418	60
Cumberland Falls	Kentucky (USA)	1919 Apr. 9	Aubrite	1	1.7	S	419	70
Dar al Gani 262	Libya	found 1996	Lunar breccia	1	0.47	S	420	900
Dar al Gani 400	Libya	found 1997	Lunar	1	0.656	S	421	1200
Dar al Gani 485	Libya	found 1997	Ureilite	1	1.2	ES	422	50
Dar al Gani 489	Libya	found 1997	Shergottite	1	0.5	F	423	500
Dar al Gani 670	Libya	found 1999	Shergottite	2	1.9	S,I	424	1700
Dar al Gani 669	Libya	found 1999	Howardite	1	6.4	S	425	1340
Dar al Gani 671	Libya	found 1999	Howardite	1	3.9	S	426	170
Dar al Gani 681	Libya	found 1999	Ureilite	1	0.5	S	725	40
Dar al Gani 684	Libya	found 1999	Eucrite	1	58	S	656	700
Dar al Gani 692	Libya	found 1999	Ureilite Anomalous	1	7.8	ES	427	200
Dar al Gani 896	Libya	found 2000	Achon Un.	2	3.3	S,S	428	400
Dar al Gani 897	Libya	found 2000	Ureilite mos	2	0.8	F,F	429	50
Dar al Gani 932	Libya	found 2001	Howardite	1	19.3	I	430	450
Dhofar 007	Oman	found 1999	Eucrite	1	1.1	S	431	30
Dhofar 018	Oman	found 2000	Howardite	1	0.338	S	655	30
Dhofar 025	Oman	found 2000	Lunar breccia	1	0.026	S	432	70
Dhofar 026	Oman	found 2000	Lunar impact melt	1	0.086	S	433	140
Dhofar 125	Oman	found 2000	Acapulcoite	1	0.83	S	434	60
Dhofar 280	Oman	found 2001	Lunar fragm. Breccia	1	0.176	S	435	200
Dhodar 461	Oman	found 2000	Lunar impact melt	1	2.34	S	436	3000
Dhofar 700	Oman	found 2002	Diogenite	1	0.8	I	437	40
Dhofar 908	Oman	found 2003	Lunar	1	0.045	S	438	100

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Dhofar 910	Oman	found 2003	Lunar	1	0.03	S	628	40
Divnoe	Ukraine	found 1981	Brachinite	1	0.2	S	439	40
D'Obrigny	Argentina	fell 1869	Angrite	1	0.12	S	440	30
Denman	S.Australia	Found 1991	Ureilite	1	0.5	ES	441	40
Great Sand Sea 010	Egypt	Found 1997	Howardite	1	1.2	F	442	150
Great Sand Sea	Egypt	Found	Lunar	1	0.003	F	741	20
Hughes Dip. 91002	S.Australia	Found 1991	Howardite	1	0.5	F	443	30
Los Angeles	California (USA)	Found 1999	Shergottite	1	0,01	S	629	100
Johnstown	Colorado (USA)	1924 Jul. 6	Diogenite	1	2.0	S	444	150
Juvinas	France	1821 Jun. 15	Eucrite	1	7.2	S	445	1200
Kapoeta	Sudan	1942 Apr. 22	Howardite	1	0.3	F	446	100
Kenna	New Mexico (USA)	Found 1972	Ureilite	1	3.0	ES	447	150
Khor Temiki	Sudan	1932 Apr. 8	Aubrite	1	2.5	F	448	160
Millbillillie	W.Australia	1960 Oct.	Eucrite	2	29.7	ES.I	449	300
Mount Egerton	W.Australia	Found 1941	Aubrite anomalous	1	11.0	ES	450	250
Nakhla	Egypt	1911 Jun. 28	Nakhlite	1	2.0	F	451	3000
NEA 001	Sudan	2002 April	Lunar: Anorthositic, Regolith Breccia	1	0,96	S	755	1200
Norton County	Kansas (USA)	1948 Feb. 18	Aubrite	2	4.0	F.F	452	120
Nuevo Mercurio (b)	Mexico	Found 1989	Ureilite	1	0.6	S	453	40
NWA 047	Morocco	Found 1999	Eucrite monomict	1	11.2	S	454	100
NWA 482	Morocco	Found 2001	Lunar Anor. Breccia	1	0.06	S	455	170
NWA 595	Morocco	Found 2001	Brachinite	1	1.02	S	456	200
NWA 1836	Morocco	Found 2003	Eucrite	1	2.1	S	457	50
NWA 3140	Morocco	Found 2004	Ureilite	1	4.7	F	458	100
NWA 1068/1110	Morocco	Found 2000	Shergottite	2	0.35	F.F	459	750
NWA 1109	Morocco	Found 2001	Howardite	1	5.82	I	460	700
NWA 2629	Morocco	Found 2004	Diogenite	1	0.20	F	654	50
NWA 2696	Morocco	Found 2004	Howardite	1	8.4	F	461	900
NWA 2739	Algeria	Found 2003	Howardite	2	8,1	FF	652	700
NWA 3133	Morocco	Found 2004	Achond. Prim.	1	4.1	S	462	300
NWA 4024	Morocco	Found 2005	Winonaite	1	0.9	ES		70
NWA 4420	W. Sahara	Found 2006	Aubrite Prim.	2	2.17	S	463	60
Old Homestead	W.Australia	Found 1991	Howardite	1	102.7	ES	464	120
Peña Blanca Spring	Texas (USA)	1946 Aug. 2	Aubrite	2	8.4	S.F	465	250
Puerto Lapice	Spain	2007 May 10	Eucrite	1	0,45	F	759	700
Sahara 99555	Afrika	found 1999	Angrite	2	0.36	S.F	466	400
Shalka	India	1850 Nov. 30	Diogenite	1	4.8	ES	467	220
Sayh al Uhamir 008	Oman	found 1999	Shergottite	1	0.89	S	468	500
Smara	Western Sahara	found 2000	Eucrite pol.	1	12.8	S	469	320
Stannern	Czechoslovakia	1808 May 22	Eucrite	1	2.2	ES	470	500
Tatahouine	Tunisia	1931 Jun. 27	Diogenite	2	8.0	LI	471	600
Winona	Arizona (USA)	found 1928	A. Winonaite	1	1.35	F	472	200
Zagami	Nigeria	1962 Oct. 3	Shergottite	1	1.0	S	473	800
Zaklodzie	Poland	found 1998	Achond.Ungroup	1	0.5	S	474	50

### IRONS (OCTAHEDRITES)

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Arispe	Mexico	Found 1896	Oct. Coarse (2.9mm) I C	11	122.5	S	475	180
Bagnone	Italy	Found 1904	Oct IIIAB	4	0.8	F	770	150
Bear Creek	Colorado (USA)	Found 1866	Oct. III B	1	52.7	S	477	160
Bendego	Brasil	Found 1784	Oct.IC	1	5.8	F	478	60
Boxhole	N.Australia	Found 1937	Oct. Medium (1.0mm) III A	1	13.7	I	479	30
Buenaventura	Mexico	Found 1969	Oct. Medium III B	1	12.3	S	480	150

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Bur Abor	Kenia	Found 1997	Oct. Medium III B	1	3.2	FS	664	30
Caddo County	Oklahoma (USA)	Found 1987	Iron an. I AB + silicate	1	12.0	S	481	150
Campo Del Cielo	Argentina	Found 1576	Oct. Coarse (3.0 mm) I A	2	8032	II	482	6000
Cañon Diablo	Arizona (USA)	Found 1981	Oct. Coarse (2.0 mm) I A	2	400.0	II	483	400
Cape York	Greenland	Found 1818	Oct. Medium(1.2mm)III A	1	46.6	S	484	150
Castiglione del Lago	Italy	Found 1970	Oct.	1	29.5	S	633	200
Carbo	Mexico	Found 1923	Oct. Med. (0.9mm) II D	1	62.0	S	485	150
Cerro del Inca	Chile	Found 1997	Oct. IIIF	1	7.6	S	486	40
Chihuahua City	Mexico	Found 1969	Iron anomalous I C	1	33.5	S	487	100
Coldwater	Kansas (USA)	Found 1923	Iron Oxide	1	3.4	S	488	20
Deport	Texas (USA)	Found 1926	Oct. Coarse I A	1	35.2	I	489	70
Franconia	Arizona (USA)	Found ?	Iron Meteorite	1	8.2	F	665	20
Gibeon	Namibia	Found 1836	Oct. Fine (0.3mm) IV A	2	76.0	IS	490	80
Hardesty	Oklaoma (USA)	Found 1986	Oct. Medium III B	1	24.0	S	491	90
Henbury	N.Australia	Found 1931	Oct. Med. (0.9mm) III A	1	42.0	I	492	70
Hidden Valley	Australia	Found 1991	Oct. Medium	1	3.4	S	493	34
Huizopa	Mexico	Found 1907	Oct. Fine IV A	1	3.1	S	494	25
Lake Murray	Oklahoma (USA)	Found 1933	Oct. II B	1	2.7	S	495	30
Lamesa	Texas (USA)	Found 1981	Oct. Fine (0.3mm) III CD	1	22.5	S	496	70
Landes	W.Virginia (USA)	Found 1930	Oct. + Silicate IA	1	15.9	S	497	70
Magura	Czechoslovakia	Found 1840	Oct. Coarse (2.4mm) I A	1	60.2	ES	498	180
Miles	Queensland (Aus.)	Found 1992	Oct. II E anomalous	1	5.7	S	499	50
Morasko	Poland	Found 1914	Oct. III CD	2	152.0	S.I	500	250
Monturaqui	Chile	Found 1973	Oct. Coarse (2.0mm) I	1	3.5	I	501	60
Mount Dieu	France	Found 1994	Oct + iron sulphides	1	120.0	ES	502	200
Muonionalusta	Sweden	Found 1906	Oct IV A	1	46.1	S	503	90
Mundrabilla	W.Australia	Found 1891	Iron anomalous (0.6mm)	2	88.0	LES	504	150
Murfresboro	Tennessee (USA)	Found 1847	Oct. III A anomalous	1	1.3	S	505	20
Nantan	China	Found 1958	Oct. III CD ott. Media	3	7000	I.I.S	506	2000
NWA 860 (Tafrawet)	Sahara (Afrika)	Found 2000	Oct. III AB	1	16.1	S	763	130
Obernkirken	Germany	Fell 1863	Oct IVA	1	1.01	S	507	70
Odessa	Texas (USA)	Found 1923	Oct. Coarse (1.7mm) I A	1	36.0	I	508	40
Patos de Minas oct	Brazil	Found 1925	Oct IAB complex	1	0.8	F	770	20
Pierceville (Iron)	Kansas (USA)	Found 1917	Oct. III B ?	1	55.0	S	509	70
Santa Apolonia	Mexico	Found 1872	Oct. Med. (0.9mm) III A	1	19.2	S	510	30
Sardis	Georgia (USA)	found 1940	Oct. IA	1	3.0	I	511	50
Sikhote-Alin	Russia	1947 Dec 2	Oct. Coarse (0.9mm) III B	1	279.0	I	512	300
Staunton	Virginia (USA)	found 1869	Oct. III E (1.6mm)	1	31.5	S	513	70
Steinbach	Germany	found 1724	Iron + silicate	1	2.0	S	514	150
Taza ( NWA 859)	Morocco	found 2000	Opl	3	46.9	I.I.I	515	80
Tambo Quemada	Perù	Before 1950	Oct IIIB	1	11.6	S	516	30
Toluca	Mexico	found 1776	Oct. Coarse (1.4mm) I A	1	22.5	ES	517	30
Urachi	Mexico	found 1988	Oct. Medium III B	1	41.0	S	518	70
Veevers	W.Australia	found 1988	Oct coarse IIAB	2	5.1	II	519	40
Verkhniy Saltov	Ukraine	found 2001	Oct IIIAB	1	6.45	S	520	30
Wabar	Saudi Arabia	found 1863	Oct. Medium III A	2	12.4	II	521	200
Watson	S.Australia	found 1972	Oct. II E	1	10.8	S	522	60
Willamette	Oregon (USA)	found 1902	Oct. Medium (1.0mm)	1	65.3	F	523	200
Williston	N.Dakota (USA)	found 1989	Oct. Medium	1	24.5	S	524	100
Wolf Creek	W.Australia	found 1947	Oct. Medium (0.85mm)	2	102.7	IS	525	120
Zagora	Morocco	found 1987	Oct. Medium + Silicate	2	36.0	ES.S	526	60
Patagonia	Patagonia (Argentina)	Found 2006	Ferro-Silicato (da classificare)	1	7,39	S	765	70

**IRONS (HEXAHEDRITES)**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Boguslavka	Russia	1916 Oct. 18	Hexahedrite IIAB	1	15	S	527	300
Coahuila	Mexico	found 1837	Hexahedrite IIA	1	31.4	S	528	250
Guadalupe Y Calvo	Mexico	found 1971	Hexahedrite II AB	1	24.8	S	529	230
North Chile	Chile	found 1875	Hexahedrite IIA	2	35.7	S.S	530	300
Walker County	Alabama (USA)	found 1882	Hexahedrite IIA	1	31.7	S	662	300

**IRONS (ATAXITES)**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Barbianello	Italy	found 1960	Ataxite ungrouped	1	139.4	ES	531	700
Chinga	Russia	found 1913	Ataxite IV B (Ni rich)	1	28.4	S	532	100
Dronino	Russia	found 2001	Ataxite anomalus	1	13.0	S	533	70
Höba	Namibia	found 1970	Ataxite IV B	1	11.0	S	534	300
Santa Catharina	Brazil	found 1875	Ataxite Ni_rich anomalous	1	25.0	I	535	60
Santa Clara	Mexico	found 1976	Ataxite IV B (Ni rich)	1	6.8	S	536	80
Santiago Papasquero	Mexico	found 1958	Ataxite Iron anomalous	1	51.7	S	537	250

**STONY-IRONS (MESOSIDERITES)**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Bondoc	Philippine	found 1956	Mesosiderite	1	3.5	S	538	35
Budulan	Russia	found 1962	Mesosiderite	1	0.9	ES	539	20
Clover Springs	Arizona (USA)	found 1954	Mesosiderite	1	5.8	ES	540	70
Dalgaranga	W.Australia	found 1923	Mesosiderite	1	2.4	I	541	30
Estherville	Iowa (USA)	1879 May 10	Mesosiderite	1	8.8	I	542	100
NWA 1848	Nort West Afrika	Found 1999	Mesosiderite	1	14	I	657	150
NWA 1882	Western Sahara	found 2003	Mesosiderite	1	3.6	I	543	50
NWA 2932	Algeria	found 2004	Mesosiderite	1	30.2	I	544	200
Lamont	Kansas (USA)	found 1965	Mesosiderite	1	0.6	S	658	60
Lowicz	Poland	1985 Mar. 12	Mesosiderite	1	7.4	S	545	150
Mount Padbury	W Australia	found 1964	Mesosiderite	1	2.5	ES	546	50
Vaca Muerta	Chile	found 1861	Mesosiderite	2	29.0	ES.S	547	100

**STONY-IRONS (PALLASITES)**

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Admire	Kansas (USA)	found 1881	Pallasite	1	7.5	S	548	100
Al Mahbas	Algeria	found 2003	Pallasite	1	0.5	S	659	30
Brahin	Bielorussia	found 1810	Pallasite	1	30.0	S	549	220
Brenham	Kansas (USA)	found 1882	Pallasite	2	13.5	I.F	550	150
Eagle Station	Kentucky (USA)	found 1880	Pallasite	1	1.0	F	551	50
Esquel	Argentina	before 1951	Pallasite	1	4.5	S	552	70
Fukang	China	found 2000	Pallasite	1	2.5	S	553	50
Glorieta-Mountains	New Mexico (USA)	found 1884	Pallasite - Siderite	1	11.1	I	554	120
Huckitta	N.Australia	found 1924	Pallasite	1	6.5	F	555	100
Imilac	Chile	found 1932	Pallasite	1	11.0	ES	556	120
Molong	SW Australia	found 1912	Pallasite	1	3.0	F	557	50
Mount Dyrring	Australia	found 1903	Pallasite	1	14.8	I	558	150
Mount Vernon	Kentucky (USA)	fell 1868	Pallasite	1	0.8	F	559	20

Name	State	Data of fall or find	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat	Price
Krasnoyarsk	Russia	found 1749	Pallasite	2	5.4	F.S	560	560
Pallasovka	Russia	found 1990	Pallasite	1	12.1	ES	729	120
Otinapa	Mexico	found 1986	Pallasite	1	1.4	S	561	30
Seymchan	Russia	found 1963	Pallasite or Octahedrite	1	25.5	S	660	150
Shirokovsky	Russia	1956 Feb. 01	Pallasite??	1	7.0	S	562	50

TECKTITES - NATURAL GLASS - ETC.

Name	State	Place	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat.	Price
Aouelloul Glass	Mauritania	Desert	Natural Glass	2	5.2	II	563	70
Australite	Australia	Warrina	Tektite	1	5.6	I	564	20
Australite	Australia	Cooper Creek	Tektite	1	13.6	I	565	27
Australite (manufatti)	Australia	Cooper Creek	Tektite (manufatti)	10	13.6	FF	761	30
Bediasite	Texas (USA)		Tektite	1	6.3	I	566	100
Belemnites sokhed	Germany	Ries Crater	Belemnites sokhed	6		II	716	60
Breccia	Spagna	Rubielos de Cerida	Impactite	1		S	567	30
Breccia fallback	Wisconsin (USA)	Glover Bluff	Impactite	1		S	568	30
Breccia Pink gneis fal.	Canada ( Ontario)	Brent Crater	Impactite	1		S	569	40
Campo del Cielo	Argentina	Gran Chaco	Graphite Nodules	1	68	I	570	40
Cañon Diablo	Arizona (USA)	Meteor Crater	Graphite Nodules	1	20.0	S	571	20
Cañon Diablo	Arizona (USA)	Meteor Crater	Metallic Spheroids	1	2.0	I	572	30
Carbonado Diamant	Caret el Hamed (Egitto)		Carbonado Diamant - C	2		F.F	733	200
Chapadhalal	Argentina		Impactite	1	11.3	F	669	30
Chinesite	China		Tektite	1	11.0	I	573	20
Columbianite	Columbia		Tektite	1	17.0	I	574	30
Darwin Glass	Tasmania	Mount Darwin	Natural Glass	2	20.3	II	575	50
Dakhla Glass	Egypt	Dakhla Glass	Natural Glass	3		F.S	702	100
Ejecta Deposit	Albion Island (Belize)	Chicxulub crater	Ejecta Deposit	1		F	678	20
El Gygytgyn	Russia	El Gygytgyn Crate	Impact Glass	1	1.7	S	576	50
Georgiaite	Georgia (USA)	Dodge County	Tektite	1	2.8	I	577	300
Guangdong	China	China	Impactite	1	8.0	S	578	20
Guangxi	China	Guangxi province	Tektite	1	7.4	I	579	30
Guan Mong	China	China	Tektite	1		I	760	30
Indochinite	Thailand		Tektite	2	32.1	II	580	20
Indochinite	Vietnam	Dalat	Tektite	1	20.9	I	581	20
Indomalaysianite	Indonesia	Billiton	Tektite	1	24.6	I	582	25
Impact breccia	Swedwn	Hummelen	Impactite	1	890	I	583	30
Impact breccia	(Siberia) Russia	Popigai Crater	Impactite	1		S	672	40
Impact breccia	Sweden	Lofthammar	Impactite	1	700	FS	693	30
Impact breccia	Egypt	Karet El Anes	Impactite	2		FF	708	40
Impact crater breccia	Missouri (USA)	Decaturville Dome	Impactite	1		F	686	30
Impact melt	Australia	Box Hole	Impactite	1		I	584	40
Impact melt	Missouri (USA)	Decaturville Dome	Impactite	1		I	585	30
Impact melt	Australia	Hembury	Impactite	1		I	586	20
Impact melt	Norway	Gardnos Crater	Impactite	1		I	587	20
Impact melt	Sweden	Mien Crater	Impactite	1		I	588	20
Impact melt	Germany	Ries crater	Impactite	1		I	589	30
Impact melt	South Africa	Tswaing crater	Impactite	1	250	I	590	30
Impact melt	Quebec (Canada)	Charlfuoix Crater	Impactite	1		FS	692	40
Impact melt bomb	Germany	Ries Crater	Impactite	1		F	706	30
Impact melt bomb	Algeria	Tim Bider Crater	Impactite	1		F	710	30
Impact rock	Russia	Kara crater (N.Ur)	Impactite	2		S	591	20
Impact rock	Russia	Karlsinskaya crater	Impactite	2		S	592	20
Impact rock	Ukraine	Ilynets crater	Impactite	2		S	593	25
Impact rock	Ukraine	Tyrny crater	Impactite	2		S	594	25

Name	State	Place	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat.	Price
Impact rock	Lappajaervi / Finland		Shoch Melted Granite	1		S	670	40
Impact rock	Saaksjaervi / Finland		Impactite	1		S	671	40
Impact rock	India	Lonar Crater	Impactite	1		S	673	50
Impact rock	Ohio (USA)	Serpent Mount	Impactite	1		S	674	40
Impact rock	Australia	Wolfe Creek Crater	Impactite	4		F	676	30
Impact rock	Finland	Lappajärvi	Impactite	4		S.S	679	40
Impact rock	Finland	Paasselkae	Impactite	1		F	682	40
Impact rock	Hekimer (New York) USA	Hekimer Diamond	Impactite	1		F	683	20
Impact rock	Buenos Aires (Argentina)	Chapadmalal	Impactite	1		F	684	30
Impact rock	Buenos Aires (Argentina)	Chasicá	Impactite	1		F	685	30
Impact rock	Australia	Boxe Hole Crater	Impactite	3		F.F	687	40
Impact rock	Finland	Paasselkae	Impactite	1		F	688	40
Impact rock	Finland	Garnåsbrettsje	Impactite	1		F	691	45
Impact rock	Libya	Oasis Crater	Impactite	1		F	695	30
Impact rock	Libya	BP Crater	Impactite	1		F	694	30
Impact rock	France	Rochechouart Crater	Impactite	1		FS	699	30
Impact rock	Sweden	Lochne Crater	Impactite	2		FF	703	120
Impact rock	Egypt	Kebira Crater	Impactite	3		FF	704	30
Impact rock	Canada	Hogton Crater	Impactite	3		FF	705	60
Impact rock	Mauritania	Tenoumer	Impactite	4		FFFF	712	40
Impact rock	Janisjarvi (Russia)	Janisjarvi Crater	Impactite	1		S	715	30
Impact rock	Popigai (Russia)	Popigai	Impactite	1		ES	730	40
Impact rock	Pochezu (Russia)	Pochezu	Impactite	1		ES	731	40
Impact rock	Krivoy Rog (Ukraine)		Impactite	1		S	742	30
Impact rock	Krivoy Rog (Ukraine)		Impactite	1		S	743	30
Impact rock	Missouri (U.S.A.)	Osceola Crater	Impactite	1		I	764	30
Impact rock (Maschelinite)	Nord Siberia (Russia)	Popigai Crater	Impactite	1		S	744	40
Impact rock (Coesite)	Arizona (USA)	Meteor Crater	Impactite	2		FS.S	700	30
Impact rock (Impact Diamonds)	Germany	Ries Crater	Impactite	1		F	697	180
Impact rock (Pseudotachylite)	Sweden	Siljan Crater	Impactite	1		F	677	100
Impact rock (Rock Flour)	Arizona (USA)	Meteor Crater	Impactite Original Rock Strata	1		F	701	30
Irhizite	Kazakistan	Aral Lake	Tektite	3	4.0	I.I.I	595	70
Ivory Cost	Ivory Cost	Atlantic Ocean	Microtektite	1	micro	I	596	200
Kendtland crater	Indiana ( USA)		shattercone	1		1	597	50
Lechatelierite	Arizona (USA)	Meteor Crater	Impactite	1	22.1	S	598	40
Libyan Desert Glass	Egypt	Desert	Natural Glass	10	500.0	I	599	2000
Lonsdaleite	Popigayskii (North Siberia - Russia)		Lonsdaleite - C	1		I	732	200
Melt Kofels	Austria	Otztal	Impactite	1		I	600	30
Melt bomb	Germany	Ries Crater-Otting	Impactite	1		I	601	30
Met bomb	Germany	Ries Crater-Herhof	Impactite	1		I	602	30



Name	State	Place	Class and type	N° of frags.	Weight (gm)	Notes	N° Cat.	Price
Moldavite	Czechoslovakia	Bohemia	Tektite	2	20.7	LI	603	80
Monturaqui impactite	Chile	Monturaqui crater	Impactite	1	20.53	I	604	40
Muong Nong	Thailand	Ubohratcha	Tektite	1	49.3	I	605	60
Natural Glass	Egypt	Dakhla	Natural Glass	Diversi campioni		FF	711	40
Natural Glass (Quartz?)	Niger	Tenere Crater	Natural Glass (Quartz?)		1		FS	709
Ovifak	Greenland	Disko Island	Pseudometeorite	1	3.2	ES	606	50
Putorano	Russia		Pseudometeorite	1	5.4	S	607	30
Rizalites	Philippine	Luzon	Tektite	1	30.0	I	608	60
Red Melt	Germany	Ries Crater	Impactite	1		I	609	30
Saint Paul Roche	France	Limousin	Impactite-quartz	1	18.4	S	610	30
Sedimentary ?	Egypt	Paillou 13 Crater	Sedimentary ?	3		FF	707	20
Shattercone	Germany	Bayern	Impactite	1	90.0	I	611	50
Shattercone	Australia	Gosses Bluff	Impactite	2		LI	612	50
Shattercone	Sweden	Siljan crater	Impactite	1		I	613	50
Shattercone	South Africa	Vedrefort	Impactite	1		I	614	60
Shattercone CSCL 135	Quebec (Canada)	Charlevoix Crater	Impactite	1		F	675	50
Shattercone	Finland	Kerusselkä	Impactite	1		F	680	80
Shattercone	Ontario (Canada)	Sudbury Basin	Impactite	1		S	681	50
Shattercone	Montana (USA)		Impactite	1		F	690	60
Shattercone (Horsetail)	Germany	Steinheim Crater	Impactite	2		FF	698	50
Shocked quartz	Norway	Gardnos Crater	Impactite	1		I	615	40
Suevite-ries	Germany	Ries	Impactite	1	4.0	I	616	20
Suevite fallback brec.	Canada ( Ontario)	Wanapitei lake	Impactite	1		S	617	30
Thailandite (manufatto)	NE Thailand	Khorat Plateau	Tektite (manufatto)	2		FF	762	150
Tibetan	Tibet	Bam Lake	Tektite	1	10.0	I	618	40
Wabar Pearls	Saudi Arabia	Wabar Crater	Tektite	2	1.3	LI	619	100
White melt/Kofels	Austria	Otztal	Impactite	1		I	620	30
Zhamanshinite	Kazakhstan	Aral Lake	Tektite	1	3.5	I	621	60
K/T Boundry	Denmark	Stevn's Klint	Sediments				622	40
K/T Boundry	Haiti	Haiti	Sediments				623	40
K/T Boundry	Italy	Gubbio	Sediments				624	20
K/T Boundry	Colorado (USA)		Sediments				625	40
P/T Boundry	Italy	Merendaore	Sediments				626	20
K/T Boundry	Spain	Agost	Sediments				696	40
Tunguska	Russia		Wood + Dust				627	60

#### Notes:

- F Fragment
- ES End section
- S Slice
- D Dust
- I Individual

**FULGURITES**

N° Cat.	State / Country	Data	N° esempl.	Price	Notes
1	Great Erg (Algeria)		1	25	
2	Pilbara (W. Australia)		1	35	
3	New Zeland		1	30	
4	Lake S.Shore of Michigna – Michigan (U.S.A.)		1	30	
5	Elko Hills (Elko County) – Nevada (U.S.A.)		1	40	
6	Boulder Canyon (Boulder County) – Colorado (U.S.A.)		2	35	
7	Volcanic Soil (Sisters – Oregon) U.S.A.		2 + framm. vari	60	
8	Indiana Dunes (U.S.A.)		3 + framm. vari	60	Ramo avvolto da sabbia fusa
9	U.S.A.		12	20	Sferiche
10	Great Sand Sea (Egypt)		Numerosi esempl.	200	
11	Oter Banks (North Carolina) U.S.A.		9	30	
12	North Carolina (U.S.A.)	1891	1	15	
13	Tucson (Arizona) U.S.A.		1	30	
14	Lander (California) U.S.A.	1891	1	15	
15	Algeria	2002	1	20	
16	Colorado (U.S.A.)		1	25	
17	Desert of Tenerè (Niger)		1	70	
18	Rep. Saharawi (W. Sahara)		3	40	
19	Polk County – Florida (U.S.A.)		2	40	
20	Denzano (Marano s/P – Modena) Italy	2007	1	30	In sabbie gialle plioceniche
21	Bilma Erg (Niger)		2	30	
22	Rebiana Desert		3	40	
23	Lower Wisconsin River (Great County – Wisconsin) U.S.A.		3	40	
24	Mojave Desert (Bousa – Arizona) U.S.A.		3	40	
25	Colorado (U.S.A.)		4	30	
26	Mauritania		1	25	
27	Sedona (Arizona) U.S.A.		1	25	
28	Nabib Desert (Nabibia)		1	100	
29	Nortfield Mountain (Massachusetts) U.S.A.		1	30	
30	Cacapon River District (Hampshire County – West Virginia) U.S.A.		2	40	
31	Morocco South Desert		1	20	
32	Pecos Plains – Near Monahans (Ward County – West Texas) U.S.A.		1	40	
33	Eastern Goldfields (W. Australia)		3	35	
34	Norilskoye Plateau (Tamir Peninsula) M. Siberia - Russia		Diversi framm.	100	
35	Lightning Strike – Near Quartzite (Arizona) U.S.A.		Diversi framm.	30	
36	Imperial County (California) U.S.A.		1	40	
37	Mesa - Arizona Desert (Arizona) U.S.A.		7	35	
38	Clark County (Nevada) U.S.A.		2	30	
39	Cline Butte – Near Bend (Deschutes County – Oregon) U.S.A.		3	30	
40	Near Colmesneil (Tyler County – East Texas) U.S.A.		1	45	
41	El Baz Crater (Great Sand Sea) Egypt		1	15	
42	Trinity (New Mexico) U.S.A.	1945 Jul. 16	1	100	TRINITITE: Fossed sand first atomic bomb blast
43	One Cases Dunes (Libia)	2007	Diversi campioni	40	
44	Willamette Valley (Oregon) U.S.A.		1	45	Fulgurite laboratory created
45	Jux Lake (Great Sand Sea) Egypt		3	15	
46	York County (Pensilvania) U.S.A.		1	700	

N° Cat.	State / Country	Data	N° esempl.	Price	Notes
47	Rebiana Desert	4/2008	diversi	200	montata
48	Rebiana Desert	4/2008	diversi	50	montata
49	Rebiana Desert	4/2008	8	30	
50	Rebiana Desert	4/2008	1	20	

16/5/2008

IL RESPONSABILE  
AREA ASTRONOMICA



(MARCO CATTEIAN)

VALORE TOTALE € 140.242,00.

